

## **HPP-1228**

**PURE LINSEED OIL, HIGH ACID VALUE SHORT OIL ALKYD FOR PRIMERS.**

### **DESCRIPTION**

The HPP 1228 is an excellent resin to be combined with dispersion resins for heavy weight primers. The HPP 1228 provides excellent adhesion and non-lifting by lacquers. Also, the HPP 1228 exhibits excellent durability.

### **APPLICATIONS**

Industrial Primers and Top Coats

### **FORM**

Single Component, Air Dry Alkyd Modifier

### **OPERATING DATA**

- 1) Engineered for Industrial Metal Primers
- 2) Economical Vehicle

### **CAUTION**

Agitate prior to use.

### **TYPICAL PROPERTIES**

<b>Viscosity (Gardner-Holt)</b> .....	<b>Z-Z2</b>
<b>Color</b> .....	<b>11 Max</b>
<b>Acid Value</b> .....	<b>21-26</b>
<b>Solids (+/- 2)</b> .....	<b>60</b>
<b>Solvent</b> .....	<b>Xylene</b>

### **PRECAUTIONS**

Some materials in this product may cause skin and eye irritation and/or sensitization or other allergic responses upon repeated contact. Therefore this product must be handled with extreme care and in strict adherence to good industrial hygiene practices. Before using it or any other product referred to in this bulletin, consult the applicable Material Safety Data Sheets for appropriate handling procedures and protective equipment.

THE INFORMATION PRESENTED HEREIN, WHILE NOT GUARANTEED, IS TO THE BEST OF OUR KNOWLEDGE TRUE AND ACCURATE. NO WARRANTY OR GUARANTEE EXPRESSED OR IMPLIED IS MADE REGARDING THE PERFORMANCE OF ANY PRODUCT, SINCE THE MANNER OF USE IS BEYOND OUR CONTROL. NO SUGGESTION FOR PRODUCT USE, NOR ANYTHING HEREIN, SHALL BE CONSTRUED AS A RECOMMENDATION FOR ITS USE IN INFRINGEMENT OF ANY EXISTING PATENT

US Polymers-Accurez, LLC | 300 East Primm Street | St. Louis, MO 63111 | 314-638-1632 | FAX 314-638-3100 | [www.uspolymers.com](http://www.uspolymers.com)