

Valtex 327-55

OLEORESINOUS VARNISH

DESCRIPTION

Economical Utility Varnish. The Valtex 327-55 offers typical enhanced properties of varnishes (Water Resistance, Chemical Resistance, Abrasion Resistance) yet ECONOMICAL. Valtex 327-55 is an efficient and economical modifier as well for 1k Systems. Epoxy Esters.

APPLICATIONS

Aluminum Leafing

FORM

Single Component Air Dry Varnish

OPERATING DATA

- 1) Designed for Most Applications Methods
- 2) Imparts typical application and performance characteristics for Varnishes
- 3) Predictable drying characteristics

CAUTION

Agitate prior to use.

TYPICAL PROPERTIES

Viscosity (Gardner-Holt)	D-F
Color	12 Max
Acid Value	8 Max
Solids (+/- 2)	55
Solvent	Mineral Spirits

PRECAUTIONS

Some materials in this product may cause skin and eye irritation and/or sensitization or other allergic responses upon repeated contact. Therefore this product must be handled with extreme care and in strict adherence to good industrial hygiene practices. Before using it or any other product referred to in this bulletin, consult the applicable Material Safety Data Sheets for appropriate handling procedures and protective equipment.

THE INFORMATION PRESENTED HEREIN, WHILE NOT GUARANTEED, IS TO THE BEST OF OUR KNOWLEDGE TRUE AND ACCURATE. NO WARRANTY OR GUARANTEE EXPRESSED OR IMPLIED IS MADE REGARDING THE PERFORMANCE OF ANY PRODUCT, SINCE THE MANNER OF USE IS BEYOND OUR CONTROL. NO SUGGESTION FOR PRODUCT USE, NOR ANYTHING HEREIN, SHALL BE CONSTRUED AS A RECOMMENDATION FOR ITS USE IN INFRINGEMENT OF ANY EXISTING PATENT

US Polymers-Accurez, LLC | 300 East Primm Street | St. Louis, MO 63111 | 314-638-1632 | FAX 314-638-3100 | www.uspolymers.com